SAFETY DATA SHEET

Section 1. Chemical Product & Company Identification Essence Chemical Co. LLC -PO Box 656 - St. Peters, MO 63376 636 685 0132

Emergency # 314 518 1665 Product Name: MUD AWAY Product Use: SEWER CLEANER Product Code: 34255 EMERGENCY NUMBER: 1-800-535-5053

Section 2. Hazards Identification

Physical Hazards: Not Classified Health Hazards: Skin corrosion/irritation Causes serious eye irritation Environmental Hazards: Not classified OSHA Defined Hazards: Alkaline material. Irritating to skin and eyes. Label Elements:



Signal Word: WARNING

Hazard Statement: Causes skin irritation and serious eye irritation.

Precautionary Statements (Prevention): Wash thoroughly after handling. Wear protective gloves/protective eyewear/face protection.

Precautionary Statements (Response): If on skin: Wash skin with plenty of water. If skin irritation occurs: get medical attention/advice. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: get medical attention/advice.

Precautionary Statements (Storage): Store in original container, in upright position, tightly closed. Precautionary Statements (Disposal): Follow local/regional/national/international regulations. Hazards Not Otherwise Classified: None known.

Category 2 Category 2A

Section 3. Composition/Information on Ingredients		
Name of Hazardous Ingredients:	CAS Number	<u>% by Weight</u>
Silicic acid, sodium salt	1344-09-8	5-10

Due to Trade Secret, the exact percentage of composition has been stated as a range. The exact identities of other ingredients has also been withheld as Trade Secret. However, they do not contribute to the identified hazards of the product and will be divulged to proper authorities in an emergency.

Section 4. First Aid Measures

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Skin Contact: Wash with plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion: If swallowed: call a poison control center/doctor if you feel unwell. Rinse mouth with water. Most Important Symptoms/Effects, Acute & Delayed: Eye itching, stinging, redness, tearing. Skin redness, itching.

Indication of Immediate Medical Attention & Special Treatment Needed: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide.

Specific Hazards Arising From the Chemical: During fire, gases hazardous to health may be formed. Special Protective Equipment and Precautions for Firefighters: Self contained breathing apparatus and full protective clothing.

Fire Fighting Equipment/Instructions: Move containers from area if you can do so without risk. Specific Methods: Use standard firefighting procedures and consider the hazards of other involved materials.

General Fire Hazards: No unusual fire or explosion hazards noted.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment & Emergency Procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill. Keep out of low areas. Wear appropriate protective equipment and clothing during clean up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods & Materials for Containment & Cleaning Up: This product is miscible in water. Large spills: stop the flow of material, if this is without risk. Dike the spilled material, where possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small spills: wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spilled material to original container.

Environmental Precautions: Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 7. Handling and Storage

Precautions for Safe Handling: Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid releases to the environment. Observe good industrial hygiene practices.

Conditions for Safe Storage, including any Incompatibilities: Store in original tightly closed container. Store away from incompatible materials (see sec. 10).

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Guidelines: Silicic acid, sodium salt, no exposure limit assigned. Exposure limit of 2mg/m3 915 minute TWA) is recommended by analogy with sodium hydroxide.

<u>Appropriate Engineering Controls</u>: Good general ventilation (generally 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

Individual Protection Measures, Personal Protective Equipment:

Eye/Face: Wear eye protection and face protection.

Skin/Body: Wear chemical resistant gloves.

Respiratory: No special protective equipment is needed under normal use conditions.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely ash work clothes and protective equipment to remove contaminants.

Section 9. Physical & Chemical Properties

Appearance: Clear to cloudy	
Physical State : Liquid	Color: Cloudy
рН: 10.5-11.5	Odor: No odor
Boiling Point: Unknown	Odor Threshold: Not available
Vapor Pressure: Unknown	Specific Gravity: 1.075
Melting Point/Freeze Point: Unknown	Flash Point: >200 F.
Evaporation Rate: Not available	Flammability (solid, gas): Non-flammable
Upper Flammability Limit: Not available	Lower Flammability Limit: Not available
Explosive Properties: Not available	Vapor Density: Not available
Water Solubility: Soluble	Auto-Ignition Temperature: Not available
Decomposition Temperature: Not available	Viscosity: Water-like
Oxidizing Properties: Not available	Other Solubilities: Not available

Section 10. Stability & Reactivity

Reactivity: May react with oxidizing agents, aluminum, zinc, tin and their alloys. Chemical Stability: Stable under normal conditions. Possibility of Hazardous Reactions: Hazardous polymerization does not occur. Conditions to Avoid: Do not mix with other chemicals. Avoid contact with incompatible materials. Incompatibility: Oxidizing agents, acids, aluminum, zinc tin and their alloys. Hazardous Polymerization: Will not occur. Hazardous Decomposition Products: Irritating and/or noxious fumes and gases may be emitted upon decomposition. Oxides of sodium.

Product Name: MUD AWAY

Section 11. Toxicological Information

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

Inhalation: May cause irritation of the respiratory system. Prolonged inhalation may be harmful.

Ingestion: Causes respiratory tract irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause serious eye irritation.

COMPONENT INFORMATION:

Chemical Name	Oral LD50 rat	<u>Dermal LD50 rat</u>	Inhalation LC50 rat
Silicic acid, sodium salt	3400 mg/kg	>5000mg/kg	>2.06g/m3

INFORMATION ON PHYSICAL, CHEMICAL, TOXICOLOGICAL EFFECTS:

Symptoms: May cause skin irritation. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory tract irritation if swallowed. DELAYED & IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT TERM EXPOSURE & LONG TERM EXPOSURE:

Carcinogenicity: Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA

Respiratory Sensitization: Not available.

Skin Sensitization: Not expected to cause skin sensitization.

Germ Cell Mutagenicity: No data available to indicate product is mutagenic or genotoxic.

Reproductive Toxicity: Not expected to cause reproductive toxicity.

Specific Target Organ Toxicity, Single exposure: Not classified

Specific Target Organ Toxicity, repeated exposure: Not classified.

Aspiration Hazard: Not available.

Chronic Effects: None noted.

Section 12. Ecological Information

Ecotoxicity: Not	classified				
<u>Chemical</u>	Algae/Aquatic Pla	ants <u>Fish</u>	<u>Micro</u>	organisms	<u>Crustacea</u>
Silicic acid, sodium salt N/A		LC50 11	08mg/L	N/A	EC50 1700mg/L
		96hr			48 hr
		brachyd	anio rerio		daphnia magna

Persistance & Degradability: Inorganic.

Bioaccumulation: Inorganic. No potential for bioaccumulation.

Mobility in Soil: No data available.

Other adverse Effects: No other adverse effects expected.

Product Name: MUD AWAY

Section 13. Disposal Considerations

Disposal Instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local/regional/national/international regulations. Hazardous waste Code: Waste code should be assigned by discussion between the user, the producer and the waste disposal company.

Waste from Residues/Unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal Instructions).

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers may contain product residue, follow all label warnings even after container is emptied.

Section 14. Transport Information

Regulatory	UN	Proper Shipping	Classes	PG*	Label
Information	Number	Name			
DOT Classification: Not Hazardous					

NOTE: DOT Classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill Of Lading with your shipment.

PG*: Packing Group

Section 15. Regulatory Information

U.S. Federal Regulations:

SARA 313 toxic chemical notification and release reporting: Not regulated.

CERCLA Clean Water Act (CWA) 307: No. Clean Water Act (CWA) 311: No Clean Air Act (CAA) 112 Regulated Toxic Substances: No products were found. All Components of this product are listed or exempt from listing on TSCA Inventory. TSCA 8(a) IUR: Not regulated. United States Inventory (TSCA 8b): Not regulated.

Safety Data Sheet

Product Name: MUD AWAY

US State Right to Know Regulations: None known.

State Regulations

California Prop 65: No products were found in sufficient amounts to require reporting.

Section 16. Other Information

NFPA: 1,0,0

HMIS: 1,0,0

Issue Date: 10/28/15

Revision Date: N/A

Revision Note: N/A

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*Note: Hazard Determination System (HDS) ratings are on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDS's under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.