## Safety Data Sheet Bug Ban Plus

## **SECTION I - IDENTIFICATION**

PRODUCT IDENTIFIER: Bug Ban Plus
PRODUCT CODE: 4580
RECOMMENDED USE: Insect repellent for skin application
RESTRICTIONS ON USE: None known.
COMPANY NAME: QuestSpecialty Corporation
COMPANY ADDRESS: P.O. Box 624, Brenham, TX 77834
COMPANY PHONE: 800-231-0454
EMERGENCY PHONE: 800-255-3924

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol: Category 2 Gases Under Pressure: Liquefied Gas Skin Irritant: Category 2 Eye Irritant: Category 2A Skin Sensitization: Category 1 Carcinogenicity: Category 2

Specific Target Organ Toxicity (Single Exposure): Category 3

HAZARD STATEMENT(S): WARNING: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin and serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. May cause drowsiness or dizziness. This product contains the following percentage of chemicals of unknown toxicity: N/A

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames or hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves, protective clothing and eye protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. Avoid breathing mist, vapors or spray. Contaminated work clothing must not be allowed out of the workplace. If skin irritation or rash occurs: Get medical advice or attention. Wash contaminated clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If exposed or concerned: Get medical advice or attention. Use only outdoors or in a well-ventilated area. In inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Dispose of contents and container in accordance with local, state and federal regulations.

#### SYMBOL:



#### HAZARDS NOT OTHERWISE CLASSIFIED: N/A

#### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Isopropyl alcohol	67-63-0	35-45%
N,N-diethyl-m-toluamide	134-62-3	22.56%
N-Butane	106-97-8	15-20%
Propane	74-98-6	5-10%
n-Octyl bicycloheptene dicarboximide	113-48-4	5.00%
Acetone	67-64-1	3-7%
Di-n-propyl isocinchomeronate	136-45-8	2.50%

Safety Data Sheet Bug Ban Plus

#### **SECTION IV - FIRST AID MEASURES**

**EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**INGESTION:** Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention.

**INHALATION**: Move to fresh air. If breathing is difficult, administer oxygen. If heartbeat or breathing seem irregular, seek immediate medical attention.

SKIN: Wash exposed areas of the body with soap and water. Seek medical attention if irritation develops.

**ACUTE HEALTH HAZARDS:** Causes eye irritation including redness, tearing, and pain. Causes skin irritation including redness, burning and drying/cracking. Prolonged and repeated inhalation of vapors may cause nausea, dizziness and drowsiness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression. Long-term exposure may cause dermatitis.

NOTE TO PHYSICIAN: Treatment of overexposure should be directed toward the control of symptoms and the clinical condition.

## SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemicals, carbon dioxide (CO2), water spray, alcohol-resistant foam.

UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.

- **SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes and decomposition products. Cool fire exposed containers with water fog to prevent bursting.
- **UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Exposure to temperatures above 120 °F may cause bursting. Vapors heavier than air will settle in low lying areas and may travel to source of ignition and flash back. Keep away from heat, sparks, open flames and other sources of ignition.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

### SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

- **SPILL:** Eliminate all sources of ignition. Clean up using rag or use some non-combustible material like vermiculite, sand or earth. Prevent spill from entering sewers, storm drains, and natural waterways. Place waste in proper containers for disposal.
- **WASTE DISPOSAL:** Do Not Puncture or Incinerate! If empty, place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.
- **RCRA STATUS:** Waste likely considered D001 (Ignitable waste), under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION VII – HANDLING AND STORAGE

- HANDLING AND STORAGE: Keep away from heat, open flames, or other sources of ignition. Do not inhale mist or vapor. Store in a cool, dry area. Do not use or store with strong oxidizers. Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.
- **OTHER PRECAUTIONS:** Keep out of the reach of children. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health.

**INCOMPATIBILITY:** Strong acids, strong oxidizing agents, some plastics. Strong alkalis.

#### HAZARDOUS INGREDIENT **OSHA PEL** ACGIH TLV Isopropyl alcohol 400 ppm 10 ppm N,N-diethyl-m-toluamide Not Established Not Established N-Butane Not Established 1000 ppm 1000 ppm 1000 ppm Propane n-Octyl bicycloheptene dicarboximide Not Established Not Established 1000 ppm 250 ppm Acetone Di-n-propyl isocinchomeronate Not Established Not Established

# SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

# Safety Data Sheet Bug Ban Plus

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation suitable, forced ventilation should not be required RESPIRATORY PROTECTION: Not required with normal use. Wear NIOSH/MSHA approved respiratory protection if exposure limits are exceeded.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses.

ADDITIONAL MEASURES: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective clothing to prevent repeated or prolonged contact with product. Wash hands thoroughly after handling.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Clear, light amber aerosol **ODOR:** Insecticidal odor **ODOR THRESHOLD: N/D** pH: N/A MELTING POINT/FREEZING POINT: N/D **INITIAL BOILING POINT AND BOILING RANGE: N/D** FLASH POINT: N/D **EVAPORATION RATE: N/D** FLAMMABILITY(solid/gas): Flammable Aerosol **UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** LOWER FLAMMABILITY LIMIT: N/D UPPER FLAMMABILITY LIMIT: N/D EXPLOSIVE LIMIT LOWER (%): N/D EXPLOISVE LIMIT UPPER (%): N/D VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): N/D **RELATIVE DENSITY (H2O=1):** 0.85 - 0.89 @ 77 °F (25 °C) **SOLUBILITY(IES):** N/D PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D AUTOIGNITION TEMPERATURE: N/D **DECOMPOSITION TEMPERATURE: N/D** VISCOSITY: N/D

## SECTION X – STABILITY AND REACTIVITY

REACTIVITY: None known. CHEMICAL STABILITY: Stable. POSSIBLE HAZARDOUS REACTIONS: None known. CONDITIONS TO AVOID: Temperatures greater than 122 °F and sources of ignition. Avoid incompatibles. INCOMPATIBLE MATERIALS: Strong acids, strong oxidizing agents, some plastics. Strong alkalis. HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

## SECTION XI – TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATION:** Isopropyl alcohol (67-63-0): LD<sub>50</sub> (Oral, Rat) 5045 mg/kg; LD<sub>50</sub> (Dermal, Rabbit)

12870mg/kg; LC<sub>50</sub> (Inhalation, Rat, 4h) 78.6 mg/L. Acetone (67-64-1): LD<sub>50</sub> (Oral, Rat) 5800 mg/kg; LD<sub>50</sub> (Dermal, Rabbit) 5000 mg/kg; LC<sub>50</sub> (Inhalation, Rat, 4hr) 20 mg/L. N,N-diethyl-m-toluamide (134-62-3): LD<sub>50</sub> (Oral, Rat) ca. 1892 mg/kg; LD<sub>50</sub> (Dermal, Rat) >5000 mg/kg; LC<sub>50</sub> (Inhalation, Rat, dust/mist) 2.02 mg/L.

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

EYES: Causes irritation, redness, tearing.

**INGESTION:** May cause gastrointestinal irritation.

**INHALATION:** May cause dizziness, disorientation, suffocation, unconsciousness with excessive or prolonged exposure.

**SKIN:** May cause mild irritation if sensitive to Deet.

**MEDICAL CONDITION AGGRAVATED:** Pre-existing conditions of the skin, liver, kidneys, CNS and respiratory system. **ACUTE HEALTH HAZARDS:** Causes eye irritation including redness, tearing, and pain. Causes skin irritation including redness, burning and drying/cracking. Prolonged and repeated inhalation of vapors may cause nausea, dizziness and drowsiness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## Safety Data Sheet

Bug Ban Plus

CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression. Long-term exposure may cause dermatitis.

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: CA Prop 65

## SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects. Avoid release to the environment. Isopropyl alcohol (67-63-0): LC<sub>50</sub> (Fish, 96h): >100 mg/L; LC<sub>50</sub> (Fathead minnow, 96h) 9640 mg/L; EC<sub>50</sub> (Daphnia, 24h): 5102 mg/L. Acetone (67-64-1): LC<sub>50</sub> (*Oncorhynchus mykiss*, 96h) 5540 mg/L; EC<sub>50</sub> (*Daphnia magna*, 48h) 6100 mg/L; EC<sub>50</sub> (*Selenastrum quadricauda*, 8d) 7500 mg/L; EC<sub>50</sub> (*Psuedomonas putida*, 16h) 1700 mg/L. N,N-diethyl-m-toluamide (134-62-3): LC<sub>50</sub> (*Oncorhynchus mykiss*, 96h) 97 mg/L; IC<sub>50</sub> (*Selenastrum capricornutum*, 96h) 43 mg/L. Di-n-propyl isocinchomeronate (136-45-8): LC<sub>50</sub> (*Oncorhynchus mykiss*) 1 mg/L; LC<sub>50</sub> (*Lepomis macrochirus*) 0.44 mg/L; EC<sub>50</sub> (*Daphnia magna*, 48h) 18 mg/L.

**PERSISTENCE AND DEGRADABILITY:** No additional information available.

**BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate.

MOBILITY IN SOIL: This product is mobile in soil.

**OTHER ADVERSE EFFECTS:** None known.

#### SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Do Not Puncture or Incinerate! If empty, place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

RCRA STATUS: Waste likely considered D001 (Ignitable waste), under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

#### SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A

AIR SHIPMENT PROPER SHIPPING NAME: Aerosols, flammable HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A

SHIPPING BY WATER:VESSEL (IMO/IMDG)PROPER SHIPPING NAME: AerosolsHAZARD CLASS/DIVISION: 2.1UN/NA NUMBER:UN 1950PACKING GROUP:N/AENVIRONMENTAL HAZARDS WATER: Marine Pollutant

#### SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Acetone (67-64-1) Reportable Quantity = 5,000 lbs Diethyl phthalate (84-66-2) Reportable Quantity = 1000 pounds.

- SARA 311/312 HAZARD CATEGORIES: Flammable (gases, aerosols, liquids, solids). Gas under pressure. Skin corrosion or irritation. Serious eye damage or eye irritation. Respiratory or skin sensitization. Carcinogenicity. Specific target organ toxicity (single or repeated exposure).
- SARA 313 REPORTABLE INGREDIENTS: Di-n-propyl isocinchomeronate (136-45-8)

STATE REGULATIONS: California Proposition 65: WARNING: This product can expose you to chemicals including beta-Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. Isopropyl alcohol (67-63-0): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CT, FL, IL, MN, NJ, PA, RI, TN. Acetone (67-64-1): Included on State Hazardous Substances

# Safety Data Sheet

Bug Ban Plus

Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CA, DE, ID, ME, MA, MN, NJ, PA, RI, WA.

INTERNATIONAL REGULATIONS: No information available.

**VOLATILE ORGANIC COMPOUNDS (VOC): 64.5%** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: **CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before use. **EXTREMELY FLAMMABLE:** Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting. Do not expose treated skin or clothing to fire, sparks or flame until liquid has evaporated.

EPA Reg. No. 44446-48NFPA HEALTH:1NFPA FLAMMABILITY:2NFPA REACTIVITY:1NFPA OTHER:None

HMIS HEALTH:1HMIS FLAMMABILITY:2HMIS REACTIVITY:1HMIS PROTECTION:A

#### **SECTION XVI - OTHER INFORMATION**

PREPARATION BY: Roberto Cerón DATE PREPARED: 11/12/2013 REVISION DATE: 08/25/2021

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.